



Survival Solutions



Introducing the rescueme) range



Ocean Signal's **rescueME** range of safety products provides both recreational and commercial mariners with simple to use, compact and affordable life-saving solutions.

rescueME is derived from Ocean Signal's extensive experience in developing world class products for the professional GMDSS and SOLAS deep sea sector (the SafeSea range).

With one of the most experienced research and development teams in marine communications, Ocean Signal has built a reputation for bringing an innovative and ground-breaking approach to its products, ensuring exceptional performance and reliability. **rescueME** safety products offer life-saving communication solutions regardless of your activity or location. Whether sailing on inshore waters or conquering the high seas, trekking alone or as part of an expedition, or working in remote regions, you will find a product for you. **rescueME** offers you peace of mind and rapid deployment of appropriate assistance should you find yourself in a life threatening situation.



Personal rescue communications





Being at the forefront of technology enables Ocean Signal engineers to design products that are both small in size and provide long operational life. Products are not only competitively priced, but the overall cost of ownership is kept low by ensuring exceptional time between battery change or product replacement.



Making sure you choose the right product to meet your activity and location is essential. In the back of this brochure is a product selection guide which will assist you in making the most appropriate choice of product.





rescueME EPIRB1 the world's most compact **Emergency Position Indicating Radio Beacon.***



30% ^(typ) smaller

10 year battery life



5 year warranty⁺



66 channel GPS



- Fast accurate positioning Retractable antenna



Manual release bracket



Auto activation Not available in Australia and New Zealand



Class 3 approved Australia and New Zealand

*Compared to other products approved to recognised *Subject to warranty statement.



In an emergency rescueME EPIRB1 provides 3 methods of communicating your location, ensuring maximum chance of survival.



406MHz Link via satellite to Emergency Services



121.5MHz Homing Beacon to aid location by Search & Rescue

High intensity strobes



rescuem

Your worldwide link to emergency services

The **rescueME EPIRB1** provides peace of mind with an impressive 10 year battery life. The world's most compact EPIRB can always be on hand, as its small size allows it to be easily retained within its manual release bracket or placed in an emergency grab-bag or life raft.

A simple protective tab over the operating keys prevents inadvertent activation yet allows for easy single handed activation when required. An EPIRB is the essential safety product for your boat. You should never consider leaving port without one! The **rescueME EPIRB1** is supplied with an integrated 66 channel GPS as standard, providing accurate positional information to the emergency services to assist rapid rescue.

When activated, the **rescueME EPIRB1** transmits your position and your unique ID to a Rescue Coordination Centre via satellite link. This information is then forwarded to the relevant local Search and Rescue services (see diagram).





Single handed activation

Protective tab





rescueME PLB1 the world's smallest Personal Locator Beacon.*

size

Actual

rescueme

PIR



30% ^(typ) smaller

7 year battery life



7 year warranty⁺



66 channel GPS - Fast accurate positioning No subscription

Waterproof to 15m



Easily deployed antenna



Flotation pouch included**

*Compared to other products approved to recognised standards and available (Jan 2015). **The pouch will ensure that the PLB1 will not sink and can be retrieved from the water.

In an emergency rescueME PLB1 provides 3 methods of communicating your location, ensuring maximum chance of survival.



406MHz Link via satellite to Emergency Services

121.5MHz Homing Beacon to aid location by Search & Rescue

High intensity strobe

The PLB1 is not designed and intended for operation while immersed in water. During operation the beacon must always be



Your worldwide link to emergency services

The ultra-compact **rescueME PLB1** can be easily fitted into your life-jacket or onto a belt, taking up minimal space and ensuring it is readily accessible.

Antenna deployment could not be easier, with a gentle pull the aerial is released.

rescueME PLB1 can be operated with a single hand in even the most challenging situations. A simple spring loaded flap covers the activation button preventing inadvertent use.

The integrated ultra-bright strobe light ensures maximum visibility.

Whatever your adventure, whether at sea or on land, the **rescueME PLB1** provides the reassurance that emergency services can be alerted by the press of a button. **rescueME PLB1** works with the only officially recognised worldwide dedicated search and rescue satellite network (operated by Cospas Sarsat). As this is funded by governments there are no charges to use this service.

When activated, the **rescueME PLB1** transmits your position and your unique ID to a Rescue Coordination Centre via satellite link. The relevant rescue services are promptly notified of your emergency and regularly advised of your current location (see diagram).

To assist with search and rescue, a homing signal is transmitted on 121.5MHz. This is received by equipment fitted to both sea and airborne rescue craft.





Moulded lens enhances light output



Unique cradle mounting system



Easy deploy retractable antenna





rescueME MOB1 the world's smallest **AIS** Man Over Board personal locator device.*



AIS (Automatic Identification System) Integrated DSC transmitter** (digital selective calling) 30% ^[typ] smaller



Automatic activation



Simple lifejacket integration



7 year battery life



24+ hours operational life





In an emergency **rescueME MOB1** provides 2 methods of rapidly communicating your location back to the vessel, plus providing visual indication.



AIS Provides accurate positional information on the vessel's chart plotter plus the distance and bearing of the person(s) in the water DSC



Activates the alarm on a DSC enabled VHF radio High intensity strobe

*Compared to other products approved to recognised standards and available (Jan 2015). **DSC functionality is subject to regulations of country. FSubject to warranty statement.





Your local link to rapid rescue

rescueME MOB1 is intended to be installed within the life-jacket and will activate automatically on inflation, sending the first alert within 15 seconds.

The integrated strobe light ensures maximum visibility in low light conditions.

rescueME MOB1 is compatible with even the most compact inflatable life-jackets.



The best chance of rapid rescue if you fall overboard comes from your own vessel. Your crew needs to be immediately aware of the incident and keep track of your position whilst recovery is carried out. Even in the most moderate of seas it is alarming how quickly a visual sighting of a man overboard can be lost.

Once activated your MOB1 will transmit an alert to all AIS receivers and AIS enabled plotters in the vicinity. The integrated GPS ensures precise location is sent to your vessel and any others that may be assisting (see diagram).

An additional feature of the MOB1 is its ability to activate the DSC alarm on your vessels VHF, alerting your crew to the situation.

Compatibility: Most modern AIS plotters and DSC VHF comply with the standards required to receive the MOB transmissions. It is recommended that you check compatibility with the equipment manufacturer, particularly if you are using older equipment.





Activation tape

Life-jacket mount



Integrated strobe light





safe operation

rescueME EDF1 the world's most compact **E**lectronic **D**istress **F**lare.*



Compact, lightweight, rugged Superb 360 degree visibility

Advanced LED technology

40% ^(typ) smaller



Excellent visibility for SAR aircraft and helicopters Constant brightness maintained throughout the life of the battery





Up to 6 hours operationWaterproof to 10 meters



Battery test function



*Compared to other hand held electronic flares for marine use (January 2015).



Your visual aid to rescue

The **rescueME EDF1** electronic distress flare offers users a safe and long-lasting solution to visual signalling in an emergency.

The unique lens design combined with the use of advanced LEDs and highly efficient circuit technology ensures a constant level of light output throughout the life of the user replaceable battery.

The light output is a beam of over 30° throughout the full 360° azimuth, providing in excess of 6 times more light coverage than other electronic flares*. Light is also distributed throughout the hemisphere above the unit to ensure visibility from the air.

Unlike single use pyrotechnic flares the **rescueME EDF1** can be used repeatedly in any of its four modes, ensuring continued visibility is maintained over a longer period. The unit is both safe to store and operate while also eliminating any worries associated with disposal.

The compact size and rugged design means the **rescueME EDF1** is the perfect safety product for a grab bag, life raft or hiker's backpack.





Pull down protective cover to access operation keys



One handed operation

360 degree visibility



rescueme) Land-based communications

rescueME PLB1 and **EDF1**, designed for mariners, aviators and those on land.

These compact, lightweight, and rugged designs make **rescueME** safety devices an essential companion for anyone who enjoys the outdoor life and who takes their personal safety and the safety of others seriously.

The dedicated satellite network used when a PLB is activated covers the entire globe, from the Arctic to the Antarctic. No matter where you are on the planet, you are always able to alert the rescue services. Visual signalling is further enhanced by using the **rescueME EDF1** - a dedicated visual alerting device providing expansive light output throughout 360°, to ensure anyone in your vicinity is alerted to your position.

GPS Satellite

Rescue Alert Satellite

EDF

ocean SIGNAL

Rescue Centre rescueME

PLB1

ocean

EDF1

rescueME PLB1



30% ^(typ) smaller



7 year warranty



Waterproof to 15m



Easily deployed antenna

rescueME EDF1



safe operation Compact, lightweight, rugged

360 Superb 360 degree visibility (Azimuth)

Advanced LED technology

40% ^(typ) smaller



Excellent visibility for SAR aircraft and helicopters **Constant brightness**

maintained throughout the life of the battery



4 modes of operation plus SOS signalling User replaceable battery



Visibility range up to 7 miles

Up to 6 hours operation



Waterproof to 10 meters



Battery test function

rescueme) Product specifications

PLB1 specifications

Satellite transmission Homing transmission Operation life Operating temperature range Weight Standards

406.040MHz, 5Watts 121.5MHz. 50mW nominal >24hrs at -20°C (-4°F) -20°C to +55°C (-4°F to +131°F) 116g (4.1oz) Cospas Sarsat T.001/T.007, ETSI EN302 152, RTCM SC11010. NSS-PLB11.

IC RSS287

PLB1 dimensions





EPIRB1 specifications 406.040MHz, 12Watts*

121.5MHz. 50mW nominal

-20°C to +55°C (-4°F to +131°F)

Cospas Sarsat T.001/T.007 IEC61097-2,

RTCM SC11000, IC RSS287

>48hrs at -20°C (-4°F)

422g (14.9oz)

Satellite transmission Homing transmission Operation life Operating temperature range Weight Standards:

*Max EIRP

EPIRB1 dimensions



MOB1 specifications

AIS transmission transmit power (EIRP)
Frequency
DSC transmission transmit power (EIRP
Frequency
Messages*
Environmental Operating temperature rang

Waterproof

Weight Standards

Individual distress relay distress alert (by single call made on press of the activation button) Operating temperature range -20°C to +55°C Storage temperature range -30°C to +70°C *DSC messages sent depend upon national regulations 10m depth

92 g (3.2oz) RTCM SC11901, EN303 098-1

161.975/162.025MHz

1Watt

0.5Watt

156.525MHz

MOB1 dimensions





Product selection guide

EDF1 specifications Battery

Battery	
Туре	Lithium primary
Chemistry	Manganese dioxide (LiMnO2)
Operating life	>6hours
Environmental	
Operating	
temperature range	-20°C to +55°C
Storage	
temperature range	-30°C to +70°C
Waterproof	10metres at +20°C
Weight	155g (5.5oz)

EDF1 dimensions



		Crewed		Short Handed					
Product	Battery life	Inshore	Coastal	Offshore	Inshore	Coastal	Offshore	Land	Air
Distance	hr's Typ +/-	0-3 miles	3-20 miles	>20 miles	0-3 miles	3-20 miles	>20 miles		
rescueme)									
rescueME EPIRB1	48	\checkmark	~		\checkmark	~			
rescueME PLB1	24			\checkmark			~	~	\checkmark
rescueME MOB1	24	\checkmark	~	~	\checkmark	~	~		
rescueME EDF1	6	\checkmark	~	\checkmark	\checkmark	~	~	~	\checkmark
(SEA)									
SafeSea E100G	96			 Image: A second s			~		
SafeSea SART	12~96			~			~		
SafeSea VHF	16	~	~	 Image: A start of the start of	\checkmark	~	~		

Rapid rescue diminishes the chance of fatality due to hypothermia. Always buy the best safety equipment available to you. For more information on both the **rescueME** and **SafeSea** ranges please visit **OceanSignal.com**

Ocean Signal Ltd info@oceansignal.com www.oceansignal.com

Whilst every effort has been made to ensure the information in this brochure is accurate, products and specifications may be changed without notice.





Dealer stamp